

# Rechargeable NiMH Cylindrical Cells



## Capacity Range

From VH 700 AAA to VH 4500 4/3 FA, from 730 to 4500 mAh – **VARTA Microbattery** provides a full programme of rechargeable cylindrical cells for all performance requirements.

Type Designation	Type No.	Voltage (V)	Capacity (mAh)	Diameter (mm)	Height (mm)	Weight (g)
<b>High Cap Range</b>						
VH 700 AAA	55171	1.2	730	10.5	43.7	13.0
VH 1800 AA	55123	1.2	1850	14.5	49.2	27.0
VH 2200 AA	55022	1.2	2200	14.5	49.5	30.5
VH 2100 4/5A	55021	1.2	2100	17,0	43.0	32.0
VH 2700 A	55027	1.2	2700	17.0	50.0	39.5
VH 4000 4/3A	55038	1.2	3800	17.5	67.0	53.5
VH 4500 4/3 FA	55044	1.2	4500	18.3	67.0	60.0

## Key Features – Benefits

- Safe and powerful mobile energy supply
- No need for expensive safety electronics
- Faster design and shorter time-to-market
- Years of experience with NiMH pack design make **VARTA** the ideal partner

## Quality

Like all our batteries, **VARTA** NiMH cylindrical cells are manufactured in accordance with highest German quality standards.

## Applications

- Telecommunication
- Battery Assembler (VAD)
- Distribution
- Various Battery Pack assemblies – medical – payment terminal – mining light

## Contact

### Headquarters

VARTA Microbattery GmbH, Daimlerstr. 1, 73479 Ellwangen, Germany

### Germany

VARTA Microbattery GmbH  
Daimlerstr. 1, 73479 Ellwangen, Germany  
Tel +49 7961 921-0  
Fax +49 7961 921-553

### Americas

VARTA Microbattery Inc.  
555 Theodore Fremd Avenue  
Suite C 304 Rye, NY 10580, USA  
Tel +1 914 592 25 00  
Fax +1 914 345 04 88

### Asia Pacific

VARTA Microbattery Pte. Ltd.  
300 Tampines Avenue 5, #05-01 Income  
@ Tampines Junction, 529653 Singapore  
Tel +65 6 260 58 01  
Fax +65 6 260 58 12

VARTA Microbattery GmbH is a company of VARTA AG.



[www.varta-microbattery.com](http://www.varta-microbattery.com)